

RSX-11M-PLUS, Micro/RSX

Software Dispatch

August 1992

Part Number: AD-KQ78A-30

RSX-11M-PLUS, Micro/RSX Software Dispatch

Published by
Corporate User Information Products (MRO1-2/L12)
Digital Equipment Corporation
Post Office Box 1001
Marlborough, MA 01752-9840

The *RSX-11M-PLUS, Micro/RSX Software Dispatch* complements the Software Dispatch Reviews for RSX-11M-PLUS and Micro/RSX. New and revised Software Product Descriptions (SPDs), programming notes, software problems and solutions, and documentation corrections are published here. Much of the material is developed from Software Performance Report (SPR) answers significant to the general audience and is printed here to supplement the maintenance notebook (established by the Software Dispatch Review).

Distribution

The *RSX-11M-PLUS, Micro/RSX Software Dispatch* is directed to one software contact for each software product. No mailing will be made to addresses without a software contact name. **Address change requests should be sent to the nearest Digital field office. Include the new address and mailing label from the most recently received publication.**

The prerequisite to using Digital Software is the appropriate license. The standard Terms and Conditions and Digital Business Agreement (DBA) contain the license terms for all software other than DECsystem-10.

Patricia Callahan, Editor

Copyright © Digital Equipment Corporation 1992. All Rights Reserved.

The material in this document is for informational purposes only. Digital believes the information in this publication is accurate as of its publication date; such information is subject to change without notice. Digital is not responsible for any inadvertent errors. Comments on the contents of this publication should be directed to your local Digital field office.

The following are trademarks of Digital Equipment Corporation: DATATRIEVE, DBMS-11, DECdx, DECnet, DECsystem, DECUS, the DECUS logo, FMS-11, Micro/RSX, PDP-11, RSX-11M-PLUS, UETP, VAX Notes, and the DIGITAL logo.

Contents

	Sequence Number	Page
Product Availability Dates		v
<u><i>RSX-11M-PLUS</i></u>		
DECnet-11M-PLUS V4.3		
DECnet-11M-PLUS Corrections in Autopatch 2.0.0	10.8.3.1 N	3
DECnet-11M-PLUS Corrections in Autopatch 5.0.0	10.8.3.2 N	5
RSX-11M-PLUS Cumulative Index		11
<u><i>Micro/RSX</i></u>		
Micro/RSX Cumulative Index		17
<u><i>VAX CoProcessor/RSX</i></u>		
VAX CoProcessor/RSX Cumulative Index		23
Attention U.S. Software Contract Customers Submitting Software Problems		25
Digital Equipment Computer Users Society (DECUS)		27
DECUS Subscription Service		31

Product Availability Dates

The following list contains the date and version of the latest release of supported software products. Customers who have a Software Product Services (SPS) agreement during the month the product becomes available are eligible to receive the new release. Eligible customers who have not received the new release should contact their local Digital office.

Product	Version	Available
BASIC-PLUS-2 for RSX-11M-PLUS/ Micro/RSX, and PDP-11	2.6	Aug 89
COBOL RSX-11M-PLUS, PDP-11	4.4 RETIRED	Sep 88
COBOL-81/RSX-11M-PLUS/ Micro/RSX	3.1	Jan 91
DATATRIEVE-11M+/ Micro/RSX	3.3A	Feb 90
DBMS-11	2.1 RETIRED	Jun 84
DECdx/RSX-11M+	1.0	Nov 84
DECmail-11 for RSX-11M-PLUS and Micro/RSX	3.1	Dec 87
DECnet Router Server	1.2	Apr 87
DECnet-11M-PLUS/Micro/RSX	4.3	Nov 89
DECnet/SNA Gateway Products	1.5 RETIRED	Apr 90
DPM-PLUS Software	1.1	Aug 82
FORTTRAN IV/RSX	2.8	Dec 88
FORTTRAN-77/RSX, PDP-11	5.3	Oct 88
MicroPower/Pascal-RSX	2.5 RETIRED	Sep 89
MicroPower/Pascal-Micro/RSX	2.5 RETIRED	Sep 89
Micro/RSX BASE	4.3	May 90
Micro/RSX ADVANCED	4.3	May 90
Micro/RSX PDP-11 C	1.0	Jun 90
PASCAL/RSX,/PDP-11	1.3 RETIRED	Oct 90
PDP-11 C for RSX	1.1	Feb 91
PDP-11 SYMBOLIC	2.2	Jan 91
DEBUGGER/RSX (formerly FORTTRAN-77 DEBUG/RSX, PDP-11)		
RPG II, PDP-11	8.8 RETIRED	Jan 87
RSX MDE/T-11	1.0	Dec 82
RSX-11M+/Micro/RSX		
2780/3780 Emulator	4.1 RETIRED	Jun 90
RSX-11 PSI/M-PLUS	3.0	Mar 88
RSX-11M+/Micro/RSX		
3271 Protocol Emulator	3.1 RETIRED	Jun 90
RSX-11M-PLUS	4.3	May 90
RSX-11M-PLUS/Micro/RSX		
DECgraph-11	1.2 RETIRED	Feb 86
RSX-11M-PLUS/Micro/RSX		
DECType	3.1 RETIRED	Nov 90
RSX-11M-PLUS/Micro/RSX		
DIBOL	1.3 RETIRED	Oct 90
RSX-11M-PLUS V3.0 UPDATE	E	Jun 87
RTEM-11/RSX-11M+/Micro/RSX	2.3 RETIRED	Feb 89
SORT/MERGE/RSX-11M+/ Micro/RSX, PDP-11	3.1	Aug 90
SPM-11M-PLUS	2.1 RETIRED	Apr 86

RSX-11M-PLUS

DECnet-11M-PLUS Corrections in Autopatch 2.0.0

*DECnet-11M-PLUS V4.3
for RSX-11M-PLUS V4.3*

The following corrections are contained in Autopatch 2.0.0 and are available as of June 1, 1992. These patches are to be applied to the base kit of DECnet-11M-PLUS Version 4.4 only.

- Decimal version numbers are not accepted even though sysgen'd into the system. A correction is applied to module EVFPRS of the component EVF.TSK.
- When an invalid DATA_B slot is received, credits get decremented for a session of zero. This is an error and causes an illegal value to be placed in TRAP vector 4. As a result, the system crashes. This is corrected with a change to the LATPRT module of the process LAT.
- If a cterm session is active on an RSX system and another SET HOST is initiated to a node that does not support CTERM, on returning to the local node, the terminal that activated the non-CTERM session can no longer do a SET HOST function. This is fixed with a correction to NCTCTL in routine DTRAST to clear the TTABLE when requesting RMT.
- Modem characteristic present are not functioning properly and cause other characteristics to be ignored. This is corrected with a patch to module CTMCHR in the NCT process.
- THE LCP non-fsl version prematurely terminates the Show Port list. This is fixed with a correction to module LCPprt of LCP.
- An incorrect mapping using C.BUF+2 is changed to C.BUF in routine RCVCI in module SESPRO of NETACP.
- The program examples DLXRCV.MAC, LATORG.MAC, LATEX.MAC, TRGQNA.MAC, 802TST.MAC, and FTS.MAC are missing from the kits. A correction is made to include these on the kits.
- If you try to stop an already stopped line, the counter DCNT gets decremented to a minus number. When you start the line again, it does not always do some of the initializing correctly. This is fixed with a correction in module DZ to check to see if the line is started before trying to stop.
- The C bit gets reset after an ADD instruction. It indicates the link is not okay. A correction is made in routine PNDILS of module ECLTIM to preserve the setting of the C bit.

DECnet-11M-PLUS Corrections in Autopatch 5.0.0

*DECnet-11M-PLUS V4.3
for RSX-11M-PLUS V4.3*

The following corrections are in Autopatch 5.0.0 and available June 1, 1992. These patches are to be applied to the base kit of DECnet-11M-PLUS Version 4.3 only.

- When you issue the command LCP DISC TTnn: after a LCP CREATE, but before LAT is started for the first time, the system crashes. This is a result of LAT not having the correct pointers set up. This is corrected in module LCPAPP of the LCP library.
- Add new MOP code for the Hyper QNA device, which is a QTA.
- When doing a ^\<CR> to invoke terminal management mode, the check for the correct LUN does not look at the internal terminal table but at low memory, and if the location is zero, it causes the message "Internal error" to print on the console and the system to hang. This is corrected in module NCTCTL of the NCT object library.
- The SHOW KNOWN NODES command does not show nodes *.1. This problem is fixed in modules NNSDAT and NNSRMD in component NNS.
- A dump file of an upline dumped system with 2MB of memory or more is incorrectly calculated.
- Randomly, nodes are unreachable. This problem is fixed in NETACP module SESNN.
- When LAT had more than 15 servers active to an RSX system, it crashes. This is the result of a memory allocation routine getting space in DSR for server blocks because there was no more room in the LAT process. The LAT process is not coded to handle server blocks placed in DSR. This is corrected in module LATAPP of the LAT task.
- When LAT has more than 15 servers active to an RSX system, some LCP commands crash the system. This is the result of a memory allocation routine getting space in DSR for server blocks because there is no more room in the LCP task process. The LCP process is not coded to handle server blocks placed in DSR. This is corrected in module LCPZER of the LCP task.
- PROXY access fails when using UICs on accounts with blank user names.
- NFT RENAME operation, when combined with /NV switch, does not create the correct file name when in wildcard mode. This problem is fixed in FALRMS module FARPNM.
- Phones hang on remote terminals.
- Two or more simultaneous NCP SHOW KNOWN NODES commands cause NNS to reserve instruction trap.
- The QNA driver is incorrectly initialized if the board is a DELQA in DEQNA lock mode. This is fixed with a correction to module QNADSP of the QNA driver.
- MCM in indirect mode does not work with decimal version numbers. Also, named directories sometimes return syntax error from MCM.
- When there is an error message sent from the remote node through an interrupt message, the FORTRAN routine GNDNTW crashes with an Odd address trap. The problem is fixed in NETFOR module OPNGND.

- When an NFT command composed of an output file specification and /SWITCH combination within double quotes (") is issued to a remote node that does not support the "file_spec/SW" command, you will receive an error from the remote node. NFT then retries the command to the remote node a second time without the switch. NFT should not manipulate commands within double quotes, therefore, it should not strip the switch from the "file_spec/SW" command. This problem is fixed in NFT module NFTFAS.
- When you invoke NFT on a terminal device that is configured without a modem, some characteristics are not processed. It causes the terminal to be set up incorrectly. This is fixed with a correction to module CTMCHR in NCT.
- Selecting the O option sometimes causes the system to crash.
- Doing a wildcard copy from an MS-DOS system to an RSX system with NFT results in the output files being named .;1, .;2, etc. This is fixed in NFT module NFTFSP.
- A connect request from SET HOST contains no optional data, but when a session sends the request, there is residual data left over in the connect block that is also sent. This causes an unknown error 216 when the connection is to a VMS node. This is corrected in module SESSL1 of the NETACP library.
- When you reserve application ports for 31 terms, and the command line exceeds 80 characters, the port that goes beyond the 80 characters is not created.
- The TRGQNA.MOCK program to remotely trigger a DEQNA stops when DECnet upgraded to RSX-11M-PLUS and Micro/RSX Version 4.0. The set sanity timer enables QIO returned an "Undefined characteristic" error. The problem is fixed in EPM module EPMCHR and DLX module DLXSUB.
- FTS does not copy files consistently because of a timing problem. FTS tries to close the URB file, while the WRITE to the URB file is not completed. The problem is fixed in FTS module FTSQUE.
- After you issue the following sequence of commands, the node definition is not deleted.
NCP SET NODE a.n NAME xxxxxx NCP TELL xxxxxx SHOW NODE yyyyyy NCP
CLEAR NODE xxxxxx ALL
- Deleting a node definition from the temporary database that physically exists in the permanent database does not complete successfully. This is fixed in modules NNSDAT and NNSDND of NNS.
- NFT displays incorrect output filesize on the terminal when the command for wildcard multiple file transfer with /LO switch is issued, even though the files are copied completely. The problem is fixed in NFT module NFTFAS.
- The problem reported is the result of the packet size being larger than the segment size and no check is made of the output buffer to determine how much of the packet fits in the output message buffer. This is fixed with a correction to module RTHSUB in the RTH object library.
- ECL sends data ACK for segment zero for each data segment received. This problem is fixed in ECL module ECLRCV.
- The minimum round trip delay is too small. This problem is fixed in ECL module ECLSUB.
- Excessive response timeouts are logged in the node counters. Also, under certain conditions, logical links that remain idle past their timeout period are terminated. This problem is fixed in ECL module ECLTIM.

- File transfers hang intermittently on large files. This problem is fixed in ECL module ECLPRO.
- The system crashes when the NCP command to set the circuit usage as incoming or outgoing is issued. This problem is fixed in NCPMAP module CICHPIX.
- The corrections made in ident 7.01 of module FOUNT did not call the correct routine as it explained.
- The NCP SHOW KNOWN NODES command hangs. This problem is fixed in NNS modules NNAST, NNSMIS, and NNDRV.
- Incoming PROXY connections are always passed on to an object when NVP is not installed, regardless of the PROXY database contents. The problem is fixed in module SESCON in NETACP.
- When accessing an RSX-11M-PLUS node with a proxy by AK request, if the node has an incoming wildcard proxy defined, then the group and member numbers are reversed, and the incorrect AK is referenced. This is fixed in NVP module NVPPRX.
- When the ON/XOFF control characters are received while outputting a buffer, the ON/XOFF are echoed, and a lot of information is lost. This problem is fixed in CCR module CCRINI.
- When a fixed format file is pulled from a remote node, NFT appends extra text at the end of the output file. This problem is fixed in NFT module NFTFAS.
- When a terminal is set serial and input is typed too fast, cterm hangs. This is corrected with a fix to RTMRED module of RTH.
- The node name server creates a cache entry even if the node is undefined.
- NFT /NM switch fails to suppress some error messages when an unreachable node is specified in the NFT command line. This problem is fixed in NFT module NFTERR.
- On RSX-11M-PLUS systems, the NCP CLEAR NODE ALL command does not clear the node characteristics.
- The NCP LOAD command does not work on broadcast media. This problem is fixed in DLL module DLLXIO.
- DDHAR.TSK is not copied as a contiguous file during NETGEN.
- Half duplex operations do not work with a DPV-11 device. A connection is made, but any network activity is unreliable with frequent disconnects and many data errors. This problem is fixed in module DPV.MAC.
- EXELIB.OLB is added to a list of files that reside in the system group directory for RSX-11S netgens. This problem is fixed in the NETGEN module NETCOM and the DECGEN module DEISM.
- VNP hangs and corrupts the system image when it tries to clear all the aliases. The problem is fixed in VNP module VENA.
- Stopping the node name server (NNS) while CFE is in use crashes the system. This problem is fixed in NNS module NNSLST.
- NFT correction put in DECnet Autopatch Version 2.2.2 is removed. When an NFT command is issued with /NM switch, NFT is not supposed to suppress any network error messages. The NM switch is suppose to suppress the error messages "no such file," and "file not locked."

- EVL causes the system to crash when a PSI event on DLC/M line is logged. This problem is fixed in EVL module EVL.
- When you invoke a PIP command to a LAT Application port, it sometimes fails. This is caused by the Responder feature turned on in LAT-Master on VMS. This results in an unexpected response message. This is corrected with a fix to the module LATAPP in the LAT1 task image.
- When the "Connect Initiate" request is not a retransmitted SEE, NETACP scans the whole Logical Link Table to find an entry corresponding to this request, instead of just adding an entry to the Logical Link Table. The problem is fixed in NETACP module SESPRO.
- In the previous correction in NETACP module SESPRO, a wrong variable CBUF was used instead of C.BUF in error.
- A downline load from a QNA device (DEQNA/DELQA) to another QNA device fails with a line communication error when the Large Data Buffer size is set too small. A warning is added to NETGEN Section 8 for QNA devices.
- DECserver 250, DECserver 300, and DECrouter 250 does not downline load properly. A correction to the DLL table to recognize these devices is made to the module DLL of the downline load task.
- When you do an LCP DISC PORT xx and the port number is nonexistent, the system gets an EMT trap if XDT is loaded. This is corrected with a fix to module LCPAPP in component LCP.
- When you install DECnet, even if no is answered for installing LAT, the LCP is always loaded. This causes the NETREM procedure to try and remove the LAT, even if it is not installed. A correction is made to DECP06 to add a check for \$LAT being true on the .IFNINS ...LCP check during NETX1 of the NETINS procedure.
- If the LAT process is shut down and restarted, the mapping of application ports fails with an error code of 254 when you attempt to map the second application port. This problem is fixed in LAT module LATAPS.
- The Phone Utility (PHONE) aborts the process if your account name is 14 characters. The error is caused by a search routine that is not terminating properly. This is fixed in the PHONE module PHORSX.
- While doing a large file transfers, the NFT aborts with the message "Remote disconnect or line failure." This problem is fixed in ECL modules ECLPRO AND ECLTIM.
- NCP SHO MOD X25-S (STAT, CHAR, SUMM, or COUN) command causes the system to crash with Odd address trap. This is a result of a mapping problem. It is fixed in NCPMAP module MOREX5.
- If a Start_read contains a prompt buffer that is larger than the network buffer, RTH stalls the I/O. This eventually results in a system crash. The problem is corrected with a fix to the module RTMRED in the component RTH.
- The CTERM session hangs when running NNC. This is corrected with a fix to the NNC task.
- The NTEST.CMD fails if you are logged in to an account on the system disk and receives the message "Logical name nesting depth exceeded." This problem corrected with a fix to the NTEST.CMD command file.
- The system crashes because of a corrupted pending ack queue. This is fixed with a patch in routine PNDILS of module ECLTIM of component ECL.

- Decimal version numbers are not accepted even though the system is gen'd for it. This is corrected in the module EVFPRS of the component EVF.TSK.
- When an invalid DATA_B slot is received, credits get decremented for a session of zero. This is an error and causes an illegal value placed in TRAP vector 4, and the system crashes. This is corrected with a change to the LATPRT module of the process LAT.
- The characteristic table is incorrect in CTMCHR, and the modem present characteristic is not being properly set. This is fixed with a correction to CTMCHR in the process NCT.
- If a cterm session is active on an RSX system and another SET HOST is initiated to a node that does not support CTERM, on returning to the local node, the terminal that activated the non-CTERM session can no longer do a SET HOST function. This is fixed with a correction to NCTCTL in routine DTRAST to clear the TTABLE when requesting RMT.
- In an attempt to stop an already stopped line, the counter DCNT gets decremented to a minus number. When it starts the line again, it does not always do some of the initializing correctly. This is fixed with a correction in module DZ to check to see if the line is started before trying to stop.
- An incorrect mapping using C.BUF+2 is changed to C.BUF in routine RCVCI in module SESPRO of NETACP

RSX-11M-PLUS Cumulative Index

This is a complete listing of all articles for RSX-11M-PLUS and layered products. Missing sequence numbers may pertain to problems unique to other versions of the same product or other major operating systems.

Unassigned articles are indicated: UNASSIGNED.

Flags are currently being installed for all articles. The flags and definitions are as follows.

- *M = Mandatory Patch.* These patches correct errors in the software product. All users are required to apply these patches to maintain consistent "user level" unless the accompanying article specifies otherwise.
- *F = Optional Feature Patch.* These patches extend or configure functionality into the product. These functions will be treated as a supported part of the product for the duration of the current release and will be incorporated with any future release, unless otherwise stated.
- *R = Restriction.* These articles discuss areas that will not be patched in the current release because they require major modification or because they are not consistent with the design of the product. Restrictions, except those described as permanent, are reviewed and modified when possible as part of the normal release cycle.
- *N = Note.* These articles provide explanatory information that supplements the manual set and provide more detailed information about a program or package. They also provide procedural information to make it easier to use a program or package.

* = Articles appeared in the RSX-11M-PLUS, Micro/R SX V4.0 Software Dispatch Review, October 1987.

Component/Title	Version	Sequence	Mon/Yr
General Interest			
<i>System Notes</i>			
Extending the PDP-11 VAX/VMS Coexistence and Migration Program	4.n	0.0.1.1 N	Nov 88
Announcing the Basic Translator	4.n	0.0.1.2 N	Jan 89
SPR Administration Move Announcement	4.n	0.0.1.3 N	May 89
<i>Hardware</i>			
Announcing PDP-11 C for RSX-11M-PLUS Version 1.0	4.n	0.1.1.1 N	Jun 90
SYSGEN			
<i>SYSGEN</i>			
\$HEADR Undefined if System Built Without External Headers	4.0	1.1.0.1 M	Mar 88
FCMDL Not Built on Distribution	4.0	1.1.1.2 M	Jul 88
Executive			
<i>Executive</i>			
What Does RSX Do if HALT Is Disabled?	4.1	2.1.0.1 M	Apr 89
When Fast Mapping, Window Length Not Returned in R2	4.1	2.1.0.2 M	Apr 89

RSX-11M-PLUS Cumulative Index

Component/Title	Version	Sequence	Mon/Yr
<i>Directives</i>			
GETLUN Directive No Longer Returns -5 If LUN Unassigned	4.0	2.1.1.1 M	Mar 88
System Crashes When RMS Default File Spec Includes Node Name	4.0	2.1.1.2 M	Aug 88
<i>Misc Routines</i>			
Context Switching No Longer Disables with \$CXDBL	4.0	2.1.6.1 M	Dec 88
<i>Data Caching</i>			
Intermittent System Crashes In V4.0	4.0	2.1.7.1 M	Dec 88
MCR			
<i>MCR</i>			
Setting Host Sometimes Fails with "Cannot Inquire Terminal Type"	4.2	2.2.0.1 M	Jan 90
<i>Internal CMDS</i>			
ASN and DFL Display Inappropriate Group Logical Number	4.0	2.2.1.1 M	Jan 88
<i>INS</i>			
Command Forms of ASN HTn:=ddn: Fail with SYNTAX Error	4.1	2.2.2.1 M	Sep 89
System May Crash After Executing INS Command	4.1	2.2.2.2 M	Oct 89
<i>ICM</i>			
Unexpected .END Directive Produces "INTERNAL ERROR" Message	4.0	2.2.3.1 M	Aug 88
Indirect Pre-Processor Task Not on M+ V4.0 Pregenerated Distribution Kit	4.0	2.2.3.2 M	Sep 88
Various Errors if ICMFSL Installed with Increment > 10000 Octal	4.1	2.2.3.3 M	Sep 89
Drivers			
<i>MSDRV, MUDRV</i>			
MS: Non-I/D Driver Used on I/D Systems	4.0	3.1.2.1 M	Apr 88
BRU/REW/DIR MU0: Crashes the System	4.0	3.1.2.2 M	Aug 88
Problems with the Crash Driver	4.1	3.1.2.3 M	Nov 88
<i>FDX-TTDRV</i>			
DHU Causes System Crash	4.0	3.1.3.1 M	May 88
Problem with "Insane" Data Sets Streaming Data and Causing Crash	3.0D	3.1.3.2 M	Jan 90
File System			
<i>FCS (NMT, MTA)</i>			
Using Transparent Spooling from At Process Causes I/O Error-36	4.1	3.2.1.1 M	Sep 89
<i>MTAACP/F11MSG</i>			
Record Lost When Backing Up to a 6250 Density Tape Drive	4.0	3.2.3.1 M	Sep 88
Batch Queue Mgr			
<i>BPR</i>			
Batch Jobs Stop At Commands Starting with "CON"	4.2	4.1.1.1 R	Mar 90
<i>QMG</i>			
Behavior of Queue Manager Changed Since V4.0	4.0	4.1.3.1 M	Jul 88
Changing "SPOOLED" to "UNSPOOLED" Reduces the Buffer Size to Zero	4.0	4.1.3.2 M	Aug 88
QMGBLD.BLD Has Missing Attributes for Spooled Print Jobs	4.1	4.1.3.3 M	May 89

Component/Title	Version	Sequence	Mon/Yr
LPP			
DOC Error [1,20]LPPBLD.BLD File on RSX-11M-PLUS Distribution	4.0	4.1.5.1 M	Aug 88
Multuser Task			
HELLO			
HELLO Task Aborts Leaving Terminal in Slave State	4.2	4.2.4.1 M	Sep 90
Utilities			
BRU			
BRU Issues Rewind At End of Tape for Directory Listing Operation	4.0	5.1.17.1 M	Jul 88
Libraries			
RSXMAC			
A Series of DOC. Errors or a Program Bug in [11,10]MDSUB.MAC	4.1	5.2.4.1 M	Oct 89
Task Builder			
TKB			
TKB Generates Message "ILLEGAL PHYSICAL MEMORY LIMIT" When Attempting to Link	4.0	5.3.1.1 M	Jul 88
The Switch /AL (Checkpoint to Own Task Image) Does Not Work Properly	4.0	5.3.1.2 M	Nov 88
TKB Aborts When Linking MACRO-11 Objects if Symbol Is Undefined	4.1	5.3.1.3 M	Apr 89
TKB VSECT Incorrectly Positions D-Space PSECT in /MU Tasks	4.1	5.3.1.4 M	Apr 89
TKB Problem When Linking with LIBR=FCSRES:RO	4.1	5.3.1.5 M	Apr 89
Problems When Linking to Overlaid Libraries	4.2	5.3.1.6 M	Dec 89
BITMASK Option in TKB Library Does Not Work with '000' Value	4.2	5.3.1.7 M	Dec 89
Error—Illegal Memory Limits	4.2	5.3.1.8 M	Jul 90
OVR			
Changes to the OVR Affects Tasks	4.2	5.3.4.1 M	Jan 90
Misc SYS Tasks			
RMDEMO			
Insufficient Buffering in RMD Task to Allow Data Areas on Memory Display	4.0	5.7.5.1 M	Dec 88
If More Than One Device Cached RMDEMO Shows Incorrect Value	4.2	5.7.5.2 M	Jan 90
RCT			
RCT... Is Not Automatically Fixed in Memory	4.1	5.7.15.1 M	Sep 89
DCL			
DCL			
Errors Received When Invoking the Basic Compiler from DCL	4.0	6.1.0.1 M	Apr 88
Set System /PACKETS:8 or 9 Do Not Translate Correctly	4.1	6.1.0.2 M	Oct 88
DCL Qualifier to Input and Output File for SORT Command	4.2	6.1.0.3 M	Dec 89

RSX-11M-PLUS Cumulative Index

Component/Title	Version	Sequence	Mon/Yr
Layered Products			
RSX-11 2780/3780 Protocol Emulator V4.1			
<i>Update A</i>			
Conditions for Automatic Signon		10.5.1.1 N	Oct 87 *
DECnet-11M-PLUS V3			
DECnet-11M-PLUS Corrections in Update A		10.8.2.1 N	Oct 87 *
DECnet-11M-PLUS Corrections in Layered Product Tape for RSX-11M-PLUS V4.1		10.8.2.2 N	Sep 88
DECnet-11M-PLUS V4			
DECnet-11M-PLUS Corrections in Autopatch 2.0.0		10.8.3.1 N	Aug 92
DECnet-11M-PLUS Corrections in Autopatch 5.0.0		10.8.3.2 N	Aug 92
FMS-11/RSX V2.2			
Announcing FMS-11/RSX V2.2 and Micro/RSX FMS-11 V2.2		10.17.1.1 N	Apr 89
FMS-11/RSX Version 2.2 Patches		10.17.1.2 M	Mar 91
BASIC-PLUS-2			
<i>Restrictions</i>			
SAVE, REPLACE, and LIST Sometimes Lose Lines of Source Text — Restriction		10.20.1.1 N	Dec 91
PDP-11 FORTRAN-77 V5.0			
<i>Compiler</i>			
/DB Switch Produces Object with Illegal Format		10.21.1.1 N	Oct 87 *
PDP-11 FORTRAN-77/RSX V5.2			
<i>OTS</i>			
Release Note Correction		11.1.1.1 N	Oct 87 *
DECmail-11 V3.1			
Announcing DECmail-11 Version 3.1		18.1.1.1 N	Jan 88
WPS-PLUS/RSX V1.0			
Announcing WPS-PLUS/RSX for Micro-11s and PDP-11s		21.1.1.1 M	Oct 87 *
Date & Time Stamp Does Not Work Correctly After September 18, 1989		21.1.1.2 M	Sep 89
RSX-11 2780/3780 Emulator V4.1			
<i>Update A</i>			
2780/3780 Problems Fixed on RSX-11M-PLUS Layered Update A		22.1.1.1 N	Oct 87 *
2780/3780 Problems Fixed on RSX-11M-PLUS Layered Product Update		22.1.1.2 N	Aug 88
<i>RSX-11/3271 Protocol Emulator V3.1</i>			
RSX-11/3271 NCP Build Error		23.1.1.1 N	Aug 88
DATATRIEVE-11 for RSX-11M-PLUS V4.1 & Higher			
<i>DTR-11</i>			
Instructions Missing in DATATRIEVE-11 V3.3 Installation Guide		24.1.1.1 N	Jan 91

Micro/RSX

Micro/RSX Cumulative Index

This is a complete listing of all articles for Micro/RSX and layered products. Missing sequence numbers may pertain to problems unique to other versions of the same product or other major operating systems.

Unassigned articles are indicated: UNASSIGNED.

Flags are currently being installed for all articles. The flags and definitions are as follows.

- *M = Mandatory Patch.* These patches correct errors in the software product. All users are required to apply these patches to maintain consistent "user level" unless the accompanying article specifies otherwise.
- *F = Optional Feature Patch.* These patches extend or configure functionality into the product. These functions will be treated as a supported part of the product for the duration of the current release and will be incorporated with any future release, unless otherwise stated.
- *R = Restriction.* These articles discuss areas that will not be patched in the current release because they require major modification or because they are not consistent with the design of the product. Restrictions, except those described as permanent, are reviewed and modified when possible as part of the normal release cycle.
- *N = Note.* These articles provide explanatory information that supplements the manual set and provide more detailed information about a program or package. They also provide procedural information to make it easier to use a program or package.

* = Articles appeared in the RSX-11M-PLUS, Micro/RSX V4.0 Software Dispatch Review, October 1987.

Component	Version	Sequence	Mon/Yr
General Interest			
<i>System Notes</i>			
Extending the PDP-11 VAX/VMS Coexistence and Migration Program	4.n	0.0.1.1 N	Nov 88
Announcing the Basic Translator	4.n	0.0.1.2 N	Jan 89
SPR Administration Move Announcement	4.n	0.0.1.3 N	May 89
<i>Hardware</i>			
Announcing Micro/RSX PDP-11 C Version 1.0	4.n	0.1.1.1 N	Jun 90
Executive			
<i>Executive</i>			
Value of Symbols in EXEC Map Do Not Match Those in Its Symbol Table	4.0	2.1.0.1 M	Mar 88
<i>Data Caching</i>			
Intermittent System Crashes in V4.0	4.0	2.1.7.1 M	Dec 88

Micro/RSX Cumulative Index

Component	Version	Sequence	Mon/Yr
MCR			
<i>MCR</i>			
Set /INQUIRE=TT0: from Any TT Other Than TT0 Produces Various Escape Sequences	4.0	2.2.0.1 M	Apr 88
Setting Host Sometimes Fails with "Cannot Inquire Terminal Type"	4.2	2.2.0.2 M	Jan 90
<i>Internal CMDS</i>			
ASN and DFL Display Inappropriate Group Logical Number	4.0	2.2.1.1 N	Jan 88
<i>ICM</i>			
Unexpected .END Directive Produces "INTERNAL ERROR" Message	4.0	2.2.3.1 M	Aug 88
Various Errors if ICMFSL Installed with Increment > 10000 Octal	4.1	2.2.3.2 M	Sep 89
Drivers			
<i>MSDRV, MUDRV</i>			
MS: Driver Works Only on I/D Systems	4.0	3.1.2.1 M	Apr 88
Problems with the Crash Driver	4.1	3.1.2.2 M	Nov 88
File System			
<i>FCS (NMT, MTA)</i>			
Using Transparent Spooling from At Process Causes I/O Error-36	4.1	3.2.1.1 M	Sep 89
Batch Queue Mgr			
<i>BPR</i>			
Batch Jobs Stop At Commands Starting with "CON"	4.2	4.1.1.1 R	Mar 90
<i>QMG</i>			
Behavior of Queue Manager Changed Since V4.0	4.0	4.1.3.1 M	Jul 88
Changing "SPOOLED" to "UNSPOOLED" Reduces the Buffer Size to Zero	4.0	4.1.3.2 M	Aug 88
QMGBLD.BLD Has Missing Attributes for Spooled Print Jobs	4.1	4.1.3.3 M	May 89
Task Builder			
<i>TKB</i>			
TKB Generates Message "Illegal Physical Memory Limit" When Attempting to Link	4.0	5.3.1.1 M	Jul 88
TKB Aborts When Linking MACRO-11 Objects if Symbol Is Undefined	4.1	5.3.1.2 M	Apr 89
Problems When Linking to Overlaid Libraries	4.2	5.3.1.3 M	Dec 89
Error—Illegal Memory Limits	4.2	5.3.1.4 M	Jul 90
<i>OVR</i>			
Changes to the OVR Affects Tasks	4.2	5.3.4.1 M	Jan 90
Misc SYS Tasks			
<i>RMDEMO</i>			
If More Than One Device Cached RMDEMO Shows Incorrect Value	4.2	5.7.5.1 M	Jan 90
DCL			
<i>DCL</i>			
DCL Basic Command Does Not Like Null File Names	4.0	6.1.0.1 M	Apr 88
Copy Invokes NFT On /NEW	4.0	6.1.0.2 M	Apr 88
Set System /Packets:8 Or 9 Do Not Translate Correctly	4.1	6.1.0.3 M	Oct 88

Component	Version	Sequence	Mon/Yr
Layered Products			
FMS-11/RSX V2.2			
Announcing FMS-11/RSX V2.2 and Micro/RSX FMS-11 V2.2		10.17.1.1 N	Apr 89
FMS-11/RSX Version 2.2 Patches		10.17.1.2 M	Mar 91
BASIC-PLUS-2			
<i>Restrictions</i>			
SAVE, REPLACE, and LIST Sometimes Lose Lines of Source Text — Restriction		10.20.1.1 N	Dec 91
PDP-11 FORTRAN-77/RSX V5.2			
<i>OTS</i>			
Release Note Correction		11.1.1.1 N	Oct 87 *
DECmail-11 V3.1			
Announcing DECmail-11 Version 3.1		18.1.1.1 N	Jan 88
WPS-PLUS/RSX V1.0			
Announcing WPS-PLUS/RSX for Micro-11S and PDP-11S		21.1.1.1 M	Oct 87 *
Date & Time Stamp Does Not Work Correctly After September 18, 1989		21.1.1.2 M	Sep 89

VAX CoProcessor RSX

VAX CoProcessor/R SX Cumulative Index

This is a complete listing of all articles for VAX CoProcessor/R SX and layered products. Missing sequence numbers may pertain to problems unique to other versions of the same product or other major operating systems.

Unassigned articles are indicated: UNASSIGNED.

Flags are currently being installed for all articles. The flags and definitions are as follows.

- *M = Mandatory Patch.* These patches correct errors in the software product. All users are required to apply these patches to maintain consistent "user level" unless the accompanying article specifies otherwise.
- *F = Optional Feature Patch.* These patches extend or configure functionality into the product. These functions will be treated as a supported part of the product for the duration of the current release and will be incorporated with any future release, unless otherwise stated.
- *R = Restriction.* These articles discuss areas that will not be patched in the current release because they require major modification or because they are not consistent with the design of the product. Restrictions, except those described as permanent, are reviewed and modified when possible as part of the normal release cycle.
- *N = Note.* These articles provide explanatory information that supplements the manual set and provide more detailed information about a program or package. They also provide procedural information to make it easier to use a program or package.

Component/Title	Version	Sequence	Mon/Yr
Executive			
<i>Directives</i>			
Creation of Multiple VTs Does Not Work Properly	1.0	2.1.1.1 M	Oct 89
MCR			
<i>MCR</i>			
Command Forms Of ASN HTn:=ddn: Fail with Syntax Error	1.0	2.2.0.1 M	Sep 89
<i>INS</i>			
Attempts to Gain Write Access to Installed Images Fail	1.0	2.2.2.1 M	Sep 89
Utilities			
<i>PIP</i>			
PIP Will Not Copy from One Terminal to Another	1.0	5.2.12.1 M	Sep 89
VAX-11 RSX			
<i>VAX AME</i>			
CoProcessor/R SX Improperly Loads Multiuser I & D Tasks	1.0	8.1.1.1 M	Mar 90

Attention U.S. Software Contract Customers Submitting Software Problems

As part of Digital's continuing effort to improve customer satisfaction, U.S. Software Product Services (SPS) has changed the process for U.S. customers to submit software problems. These customers should report their software problems by calling their Customer Support Center (CSC) or by accessing either the Digital Software Information Network (DSIN) or DSNlink.

The CSCs have the technical expertise to quickly respond to many of our customers' problems without requiring Engineering intervention. Because many software problems are duplicates of problems that have already been addressed by Engineering, the CSCs can immediately respond to many inquiries.

If you do not have access to a CSC, submit your software problem to:

**Digital Equipment Corporation
P.O. Box 1167
Alpharetta, Georgia 30239-1167**

This address replaces the one currently found on the instruction sheet of the Software Performance Report (SPR) form.

Digital Equipment Computer Users Society

Benefits of Belonging

The Digital Equipment Computer Users Society (DECUS) is one of the largest and most respected users groups in the computer industry today. Membership in DECUS, which is free and voluntary, affords the individual user information and services not found anywhere else.

DECUS provides an environment where users of Digital Equipment Corporation products can share information with other users and with Digital. Members can find out the latest news on Digital's hardware, software, and educational products. The feedback exchange with Digital allows the users of Digital's products a voice in the direction the company takes in the future.

Founded in 1961, DECUS has three autonomous chapters worldwide—DECUS U.S., DECUS Europe, and DECUS General International Area (GIA). DECUS services and activities are shared between these chapters through mutual agreements.

All DECUS services promote the exchange of information in a commercial-free environment. These services include:

Special Interest Groups (SIGs)

These groups, formed around an area of common interest, exist for a variety of hardware, operating systems, languages, applications, and marketing areas. Participation in these groups allows contact among fellow users to exchange information and share technical expertise in the area of most interest to the user.

Local Users Groups (LUGs) and National Users Groups (NUGs)

LUGs and NUGs are licensed groups of individuals who gather to share information with other users on a periodic basis. Not only do these people share professional interest, but they also share geographic and cultural ties. Often, Digital representatives attend these meetings to discuss new products and services and supply updates on existing policies and procedures.

Symposia

DECUS holds symposia each year in the different chapters, two per year in the U.S. These meetings provide unique opportunities for users with a wide spectrum of experience to meet for up to five intensive days of technical exchange. Included in symposia activities are workshops, clinics, panels, tutorials, and formal paper presentations. Digital participates in symposia by sending product group managers and developers to discuss strategies, products, problems, and solutions.

Communications

The flow of information among users, as well as between users and Digital, is the primary goal of DECUS. Various publications are published by DECUS to support this communication. They include chapter newsletters and *Transactions*, a technical volume published after each symposium.

DECUS also publishes the Special Interest Groups *SIGs Newsletter* on a monthly basis. The newsletter is divided into Special Interest Group sections and provides specialized information pertaining to specific Digital products. The monthly newsletter and *Transactions* are available through the DECUS Subscription Service.

Seminars

DECUS recognizes the need for ongoing training opportunities that help members keep pace with the changing technologies of the computer industry. To that end, DECUS sponsors technical seminars that run from 1/2 day to 2 days throughout the year in various locations. These seminars are developed and presented by DECUS members who are experienced industry professionals.

Program Library

The DECUS Program Library is the main vehicle for the exchange of public domain software among users of all Digital systems. The library contains over 1000 software programs written and voluntarily submitted by users. These programs include compilers, editors, utilities, numerical and statistical functions, as well as games and graphic routines. The library publishes a software catalog on an annual basis that lists and describes all the DECUS programs.

DECUServe

DECUServe is an electronic conferencing system based on VAX Notes. The network is available to all U.S. and Canadian members 24 hours a day, 7 days a week for an annual subscription fee.

Joining DECUS

You are cordially invited to join with over 100,000 other users of Digital products around the world and begin to share your experiences, both the successes and problems.

For more information, contact the appropriate DECUS Chapter Office.

DECUS Chapter Offices—Worldwide

DECUS U.S.

DECUS U.S.

333 South Street, (SHR1-4/D30)
Shrewsbury, Massachusetts 01545-4195
Tel. (508) 841-3389

DECUS Europe

DECUS Europe Headquarters
12 Avenue des Morgines
Case Postale 176
CH-1213 Petit-Lancy 1/Geneva
Switzerland

DECUS BELUX
Luchtschipstraat 1
Rue de l'Aeronef
B01140 Brussell/Bruxelles
Belgium

DECUS Finland
P.O. Box 6
SF-02201 Espoo
Finland

DECUS Holland
Europalaan 44
P.O. Box 9212
3506 GE Utrecht
The Netherlands

DECUS Ireland
c/o Digital Equipment Ireland Ltd.
Park House, North Circular Road
IRL-Dublin 7
Ireland

DECUS Italia
Vie F. Testi, 280/6
I-20126 Milano-MI
Italy

DECUS At-Large Chapter
12 Avenue des Morgines
Case Postale 176
CH-1213 Petit-Lancy 1/Geneva
Switzerland

DECUS Denmark
c/o Digital Equipment Corporation A/S
Aadalsvej 99
DK-2970 Hoersholm
Denmark

DECUS France
2 Rue Gaston Crenieux
BP136
91004 Evry Cedex
France

DECUS Iceland
c/o DECUS Denmark

DECUS Israel
c/o Digital Equipment
Acadia Junction
Herzlia 46 733
Israel

DECUS Muenchen
Freischuetzstrasse 91, Postfach 810247
W-8000 Muenchen 81
West Germany

DECUS Chapter Offices—Worldwide (Continued)

DECUS Norway
Ammerudveien 22
N-0958 Oslo 9
Norway

DECUS Portugal
c/o Digital Equipment Portugal Lda.
Empreendimento Torres das Amoreiras
Av. Eng. Duarte Pacheco, Torre 1-9 andar
P-1000 Lisbon
Portugal

DECUS Spain
c/o Digital Equipment Corporation SA
Cerro del Castanar 72, Mirasierra
28034 Madrid
Spain

DECUS Sweden
Gardavagen 1
S-402 26 Gothenburg
Sweden

DECUS Switzerland
DECpark
Ueberlandstrasse 1 Postfach
CH-8600 Dubendorf 1
Switzerland

DECUS U.K., Ireland, and Middle East
Queen's House
Forbury Road
GB-Reading, RG 1 3JJ
U.K.

DECUS GIA (General International Area)

DECUS GIA Headquarters
100 Nagog Park AKO1-1/B11
Acton, Massachusetts 01720
U.S.A.

DECUS South Pacific Chapter
Australia Office
Locked Bag 16, 410 Concord Road
Rhodes, New South Wales 2138
Australia

DECUS
New Zealand Office
P.O. Box 8610
Symonds Street
Auckland 3, New Zealand

DECUS Canada
505 University Avenue, 15th Floor
Toronto, Ontario M5G 1X4
Canada

DECUS Far East
Digital Equipment Corporation
19-21 Fleet House
38 Gloucester Road
Wanchai, Hong Kong

DECUS Japan
Nihon Digital Equipment KK
Sunshine 60, P.O. Box 1135
1-1. Higashi Ikebukuro 3 - chome
Toshima-ku Tokyo
Japan 170

DECUS South America
Digital Equipment do Brasil Ltda.
Av. Presidente Wilson
231 26th Floor
20030 Rio de Janeiro, RJ
Brasil

DECUS Latin America/Carribean Chapter
DECUS LACC
800 Fairway Drive
Suite 400
Deerfield Beach, FL 33441
U.S.A.

DECUS SUBSCRIPTION SERVICE
SIGs NEWSLETTER
U.S. Chapter Transactions
(U.S. Chapter Members Only)

As a member of the DECUS U.S. Chapter, you are entitled to contribute and subscribe to the DECUS monthly publication, *SIGs Newsletter*. You also have the opportunity to subscribe to Transactions which are a compendium of the reports from various speakers at the U.S. National DECUS Symposia.

- The order form below must be used as an invoice
- All checks must be made payable to DECUS
- All orders **must** be paid in full
- \$25.00 minimum for credit card orders
- No refunds will be made
- The address provided below will be used for all DECUS mailings, e.g., membership, subscription service, and symposia
- SIGs Newsletter price is for a one-year subscription beginning the month following receipt of payment

.....

Name _____ DECUS Member No. _____

Company _____

Address _____

City _____ State _____ Zip _____

Phone _____

Subscription Service Offering	Qty	Unit Price	Total
SIGs Newsletter	_____	\$40.00	_____
Fall '90 Proceedings (FA0)	_____	15.00	_____
Spring '91 Proceedings (SP1)	_____	15.00	_____
Fall '91 Transactions (FA1)	_____	25.00	_____
Spring '92 Transactions (SP1)	_____	25.00	_____
Total Cost of Subscription			\$ _____

☐ MasterCard® ☐ VISA® ☐ DINERS CLUB® ☐ CARTE BLANCHE® ☐ American Express®

Card No. _____ Exp. Date _____

I understand that there will be no refunds, even if I decide to cancel my subscription.

Signature _____

For Digital Employee Use Only

Badge No. _____ CC: _____

CC Mgr Name _____

CC Mgr Signature _____

For DECUS Office Only

Check No. _____

Bank No. _____

Amount \$ _____

Send to: Subscription Service, DECUS, 333 South Street (SHR1-4/D30), Shrewsbury, MA 01545-4195, (508) 841-3389.

Note: DECUS Europe and DECUS GIA members should contact their local DECUS office.



SD891205
MR-4829-RA

